er terifololololologo et esplitat et esse esperalista (la plata participation) esperalista (la proposition de s	FOR COATINGS, RES	SINS AND RE	ELATED MAT	ERIALS	o etaracatan ing "	
DATE OF PREP. 12-9-76	(Approved by U.S. Department R. 12/10/82	of Labor "Essentia	lly Similar" to Forr	n OSHA-20)	i doga S Staniensk	nn i ce este sisteme. Level de la production
		Section I			1981auri	Commission and the state of the
MANUFACTURER'S NAME U.S.	Paint, Division of Gro	ow Group,	Inc.	*		DEMINISCHALOGO-HARMANINANINA ARTHUR CHECAGO
EMERGENCY TELEPHONE NO. (3 INFORMATION TELEPHONE NO. (3 PRODUCT CLASS Polyisocyal	314) 621-0525 nate Resin	MANU Type	FACTURERS COR 2, Class	DE IDENTIFICATION 2 Catalyst	n G3004	y egy Dinasterin dia kingga Atta dia yang Kingga Bata Dinasterin
TRADE NAME LOW Solids Cle						
	Section II — HAZ		INGREDIE	ENTS	salte it Biller i Massachi. L	and grant Character
INGREDIENT		Volume PERCENT	PPM PPM	LV mg/M³	LEL	VAPC= PRESSLA in mm Hg
Biuret of 1	chyl Acetate .,6 Hexamethylene Diisocyanate	55.0 5.0 15.0		1440 435 540 ESTABLISHEI	2.2	20° C 76.0 9.5 1.2
Section III — PHYSICAL DATA						
BOILING RANGE 167° to 329 EVAPORATION RATE FASTER	i de de la companya del companya de la companya del companya de la	VAPOR DE PERCENT VOLATE BY VOLUME	ijagipska Tila	WEIGHT PER GALLON	7.88	R, THAN AIR
	Section IV - FIRE AN	ID EXPLOS	SION HAZ	ARD DATA	lij	gwye yeu vidig 1991.
Combustible Liquid FLAMMABILITY CLASSIFICATION Flammable Liquid Non Flammable EXTINGUISHING MEDIA Dry Chemical UNUSUAL FIRE AND EXPLOSION HAZA	20°-100°F X or Foam .	FLASH PO	Westerd & Westerd &	T.C.C.		LEL 1.1
SPECIAL FIRE FIGHTING PROCEDURES	- Personnel who are i	fighting is	socyanate i	ires should	i wear	

	<u> 2 A7A 0 YT 3 AA2</u>		•
	Section V — HEALTH HA	AZARD DATA	
THRESHOLD LIMÍT VALUE 100 to 400 PE	PM upper respiratory irrita		
ACUTE	1,50315048.		and a summer of the same and the same and the same and the same of the same and the same and the same and the
CHRONIC	. past — gas cretit , vierotit	ormonous anticipation communication and the second	kanangan sepakan penderan kanangan sebagai pengenan penderan penderan penderan kanangan penderan penderan pend Penderan penderan pe
physician immediately. If spl	exposed to excess vapores, flush with large and lashed on skin, wash with I induce vomiting.	ounts of water for 15	minutes. Call a
	Section VI - REACT!		
STABILITY UNSTABLE X STABLE INCOMPATABILITY (Materials to avoid)—AVOId (HAZARDOUS DECOMPOSITION PRODUCTS	conditions to contact with water, alcoreact with isocyanates.	AVOID-Excess heat or obhol, amines, and other	oxidizing materials. er compounds which
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	39.00 V V 27.10 P. P. (1971)		7347700301030
HAZARDOUS POLYMERIZATION MAY OF CONDITIONS TO AVOID	CCUR X WILL NOT OCCUR	anandriga i garta anang mpaninga, aliga paga ang magagan ang garang sa	ika ang mangganan ang mangganan ang mangganan kangganan kangganan kangganan kangganan kangganan kangganan kan Mangganan kangganan
Sect	tion VII — SPILL OR LEA	K PROCEDURES	
STEPS TO BE TAKEN IN CASE MATERIAL IS RELEADED UP and then material plants of the step of		l container.	
	VIII — SPECIAL PROTEC	· · · · · · · · · · · · · · · · · · ·	
RESPIRATORY PROTECTION NIOSH/MSHA	approved combination va	por/particulate or a	ir supplied respirator.
and the second of the second o		i partina di mandra di partina di mandra di mandra di partina di mandra di mandra di mandra di mandra di mandr Mandra di Mandra di M Mandra di Mandra di	
VENTILATION Sufficient to keep a	ir supply above thresho	old limit values.	
will a figure community of the second se	1 - War in 大阪 2 - Wag in (2 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -		
PROTECTIVE GLOVES Rubber or Plas EYE PROTECTION Goggles OTHER PROTECTIVE EQUIPMENT	tic ()		
	Section IX — SPECIAL P	RECAUTIONS	
P=ECAUTIONS TO BE TAKEN IN HANDLING AND	•	xcess heat, sparks,	and flames.
DCL STORAGE CATEGORY			
O-HER PRECAUTIONS		en e	
based on compound Water Soluble Bar		, Cadmium, Lead, Merc	ary, Selenium, or
to the section of a section of the s	· Parting of the community of the commun	a oliv lancvarež – zas Ženistanici (1917)	

FOR PROFESSIONAL USE ONLY

BOE-C6-0189900